

PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
01	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-14311EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 584 mm L*129 mm W*67 mm H</p> <p>Fluorescent tube : T5 14W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
02	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-14311CEB</p> <p>(w/silver lampholder cover)</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 584 mm L*129 mm W*67 mm H</p> <p>Fluorescent tube : T5 14W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
03	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-14321EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 584 mm L* 129 mm W* 50 mm H</p> <p>Fluorescent tube : T5 14W × 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
04	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-14321CEB</p> <p>(w/silver lampholder cover)</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 584 mm L*129 mm W* 50 mm H</p> <p>Fluorescent tube : T5 14W × 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
05	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-14331EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 584 mm L*129 mm W* 67 mm H</p> <p>Fluorescent tube : T5 14W × 3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
06	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-14331CEB</p> <p>(w/silver lampholder cover)</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 584 mm L*129 mm W*67 mm H</p> <p>Fluorescent tube : T5 14W × 3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
07	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-28311EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1184 mm L* 129 mm W*67 mm H</p> <p>Fluorescent tube : T5 28W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
08	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-28311CEB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1184 mm L*129 mm W*67 mm H</p> <p>Fluorescent tube : T5 28W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.

NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
09	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-28321EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1184 mm L*129 mm W* 50 mm H</p> <p>Fluorescent tube : T5 28W × 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
10	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-28321CEB</p> <p>(w/silver lampholder cover)</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1184 mm L*129 mm W*50 mm H</p> <p>Fluorescent tube : T5 28W × 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
11	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-28331EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1184 mm L*129 mm W*67 mm H</p> <p>Fluorescent tube : T5 28W × 3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
12	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-28331CEB</p> <p>(w/silver lampholder cover)</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1184 mm L*129 mm W*67 mm H</p> <p>Fluorescent tube : T5 28W × 3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
13	<p>Batten Light w/ Reflector <i>(can be surface-mounted or suspended)</i> Product No. : LF-14211EB Material : Steel, white powder coated or Mirror aluminum reflector Dimension : 578 mm L*91 mm W* 57 mm H Fluorescent tube : T5 14W × 1 Electronic Ballast : 110/220V 60HZ</p>	
14	<p>Batten Light w/ Reflector <i>(can be surface-mounted or suspended)</i> Product No : LF-14221EB Material : Steel, white powder coated or Mirror aluminum reflector Dimension: 588 mm L*166 mm W* 66 mm H Fluorescent tube : T5 14W × 2 Electronic Ballast : 110/220V 60HZ</p>	
15	<p>Batten Light w/ Reflector <i>(can be surface-mounted or suspended)</i> Product No : LF-28211EB Material : Steel, white powder coated or Mirror aluminum reflector Dimension: 1184 mm L*91 mm W* 57 mm H Fluorescent tube : T5 28W × 1 Electronic Ballast : 110/220V 60HZ</p>	
16	<p>Batten Light w/ Reflector <i>(can be surface-mounted or suspended)</i> Product No : LF-28221EB Material : Steel, white powder coated or Mirror aluminum reflector Dimension: 1188 mm L*166 mm W* 66 mm H Fluorescent tube : T5 28W × 2 Electronic Ballast : 110/220V 60HZ</p>	

PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
17	<p>Batten Light w/ Reflector (can be surface-mounted or suspended) Product No : LF-28231EB Material : Steel, white powder coated or Mirror aluminum reflector Dimension: 1188 mm L*193 mm W* 77 mm H Fluorescent tube : T5 28W × 3 Fluorescent tube : 110/220V 60HZ</p>	
18	<p>Batten Light w/ Reflector (can be surface-mounted or suspended) Product No : LF-28231CEB (w/silver lampholder cover) Material : Steel, white powder coated or Mirror aluminum reflector Dimension: 1188 mm L*193 mm W* 77 mm H Fluorescent tube : T5 28W × 3 Fluorescent tube : 110/220V 60HZ</p>	
19	<p>Batten Light (can be surface-mounted or suspended) Product No : LF-14111EB Material : Steel, white powder coated Dimension : 570 mm L*35 mm W* 57 mm H Fluorescent tube : T5 14W × 1 Electronic Ballast : 110/220V 60HZ</p>	
20	<p>Batten Light (can be surface-mounted or suspended) Product No : LF-28111EB Material : Steel, white powder coated Dimension: 1170 mm L*35 mm W* 57 mm H Fluorescent tube : T5 28W × 1 Electronic Ballast : 110/220V 60HZ</p>	

PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366





Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
21	<p>Batten Light (can be surface-mounted or suspended) Product No : LF-28121EB Material : Steel, white powder coated Dimension : 1173 mm L*110 mm W* 72 mm H Fluorescent tube : T5 28W × 2 Electronic Ballast : 110/220V 60HZ</p>	
22	<p>Classroom Light (can be surface-mounted or suspended) Product No : LF-28521EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 1170 mm L*240 mm W* 65 mm H Fluorescent tube : T5 28W × 2 Electronic Ballast : 110/220V 60HZ</p>	
23	<p>Classroom Light (can be surface-mounted or suspended) Product No : LF-28522EB (Without grille) Material : Steel, white powder coated Dimension : 1170 mm L*240 mm W* 65 mm H Fluorescent tube : T5 28W × 2 Electronic Ballast : 110/220V 60HZ</p>	
24	<p>Black Board Light (can be surface-mounted or suspended) Product No : LF-28611EB LF-28611AEB (Specular) Material : Steel, white powder coated or Mirror aluminum reflector Dimension : 172 mm L*170 mm W 114 mm H Fluorescent tube : T5 28W × 1 Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366


Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
25	<p>Black Board Light <i>(can be surface-mounted or suspended)</i> Product No : LF-28621EB LF-28621AEB (Specular) Material : Steel, white powder coated or Mirror aluminum reflector Dimension 1172 mm L*170 mm W*114 mm H Fluorescent tube : T5 28W × 2 Electronic Ballast : 110/220V 60HZ</p>	
26	<p>Standard Ceiling Grille Light Product No : LF-14721EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 617 mm L*315 mm W*55 mm H Fluorescent tube : T5 14W × 2 Electronic Ballast : 110/220V 60HZ</p>	
27	<p>Standard Ceiling Grille Light Product No : LF-14731EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 617 mm L*615 mm W* 55 mm H Fluorescent tube : T5 14W × 3 Electronic Ballast : 110/220V 60HZ</p>	
28	<p>Standard Ceiling Grille Light Product No : LF-14741EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 617 mm L*615 mm W* 55 mm H Fluorescent tube : T5 14W × 4 Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
29	<p>Standard Ceiling Grille Light</p> <p>Product No : LF-28721EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 1227 mm L*315 mm W* 55 mm H</p> <p>Fluorescent tube : T5 28W × 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
30	<p>Standard Ceiling Grille Light</p> <p>Product No : LF-28731EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 1227 mm L*615 mm W* 55 mm H</p> <p>Fluorescent tube : T5 28W ×3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
31	<p>Standard Ceiling Grille Light</p> <p>Product No : LF-28741EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 1227 mm L*615 mm W* 55 mm H</p> <p>Fluorescent tube : T5 28W ×4</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
32	<p>Extruded Aluminum Frame Ceiling Light</p> <p>Product No : LF-14722EB</p> <p>Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille</p> <p>Dimension : 642 mm L*339 mm*W 55 mm H</p> <p>Fluorescent tube : T5 14W × 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
33	<p>Extruded Aluminum Frame Ceiling Light Product No : LF-14732EB Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille Dimension : 642 mm L*639 mm*W* 55 mm H Fluorescent tube : T5 14W × 3 Electronic Ballast : 110/220V 60HZ</p>	
34	<p>Extruded Aluminum Frame Ceiling Light Product No : LF-14742EB Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille Dimension : 642 mm L*639 mm W* 55 mm H Fluorescent tube : T5 14W × 4 Electronic Ballast : 110/220V 60HZ</p>	
35	<p>Extruded Aluminum Frame Ceiling Light Product No : LF-28722EB Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille Dimension: 1252 mm L*339 mm W* 55 mm H Fluorescent tube : T5 28W × 2 Electronic Ballast : 110/220V 60HZ</p>	
36	<p>Extruded Aluminum Frame Ceiling Light Product No : LF-28732EB Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille Dimension: 1252 mm L*639 mm W* 55 mm H Fluorescent tube : T5 28W ×3 Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
37	<p>Extruded Aluminum Frame Ceiling Light Product No : LF-28742EB Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille Dimension : 1252 mm L*639 mm W* 55 mm H Fluorescent tube : T5 28W ×4 Electronic Ballast : 110/220V 60HZ</p>	
38	<p>T-Bar Standard Type Recessed Light Product No : LF-14421EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 600 mm L*300 mm W* 62 mm H Fluorescent tube : T5 14W × 2 Electronic Ballast : 110/220V 60HZ</p>	
39	<p>T-Bar Standard Type Recessed Light Product No : LF-14423EB (Mirror aluminum reflector) Material : Steel, white powder coated + Mirror aluminum grille Dimension : 600 mm L* 600 mm W* 62 mm H Fluorescent tube : T5 14W × 2 Electronic Ballast : 110/220V 60HZ</p>	
40	<p>T-Bar Standard Type Recessed Light Product No : LF-14431EB LF-14431AEB (Mirror aluminum reflector) Material : Steel, white powder coated + Mirror aluminum grille Dimension : 600 mm L* 600 mm W* 62 mm H Fluorescent tube : T5 14W × 3 Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366





Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
41	<p>T-Bar Standard Type Recessed Light Product No : LF-14441EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 600 mm L* 600 mm W* 62 mm H Fluorescent tube : T5 14W × 4 Electronic Ballast : 110/220V 60HZ</p>	
42	<p>T-Bar Standard Type Recessed Light Product No : LF-28411EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 1209 mm L*200 mm W*55 mm H Fluorescent tube : T5 28W × 1 Electronic Ballast : 110/220V 60HZ</p>	
43	<p>T-Bar Standard Type Recessed Light Product No : LF-28421EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 1209 mm L*300 mm W* 62 mm H Fluorescent tube : T5 28W × 2 Electronic Ballast : 110/220V 60HZ</p>	
44	<p>T-Bar Standard Type Recessed Light Product No : LF-28423EB (Mirror aluminum reflector) Material : Steel, white powder coated + Mirror aluminum grille Dimension : 1209 mm L*600 mm W* 62 mm H Fluorescent tube : T5 28W × 2 Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
45	<p>T-Bar Standard Type Recessed Light Product No : LF-28431EB Material : Steel, white powder coated + Mirror aluminum grille Dimension: 1209 mm L*600 mm W* 62 mm H Fluorescent tube : T5 28W × 3 Electronic Ballast : 110/220V 60HZ</p>	
46	<p>T-Bar Standard Type Recessed Light Product No : LF-28441EB Material : Steel, white powder coated + Mirror aluminum grille Dimension: 1209 mm L*600 mm W* 62 mm H Fluorescent tube : T5 28W × 4 Electronic Ballast : 110/220V 60HZ</p>	
47	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering) Product No : LF-14428EB Material : Steel, white powder coated + PS Cover Dimension: 600 mm L*300 mm W* 55 mm H Fluorescent tube : T5 14W × 2 Electronic Ballast : 110/220V 60HZ</p>	
48	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering) Product No : LF-144D8EB Material : Steel, white powder coated + PS Cover Dimension : 600 mm L* 600 mm W* 55 mm H Fluorescent tube : T5 14W × 2 Electronic Ballast : 110/220V 60HZ</p>	

品鋒 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
49	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering) Product No : LF-14438EB Material : Steel, white powder coated + PS Cover Dimension : 600 mm L* 600 mm W* 55 mm H Fluorescent tube : T5 14W × 3 Electronic Ballast : 110/220V 60HZ</p>	
50	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering) Product No : LF-14448EB Material : Steel, white powder coated + PS Cover Dimension : 600 mm L* 600 mm W* 55 mm H Fluorescent tube : T5 14W × 4 Electronic Ballast : 110/220V 60HZ</p>	
51	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering) Product No : LF-28428EB Material : Steel, white powder coated + PS Cover Dimension : 1209 mm L*300 mm W* 55 mm H Fluorescent tube : T5 28W × 2 Electronic Ballast : 110/220V 60HZ</p>	
52	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering) Product No : LF-284D8EB Material : Steel, white powder coated + PS Cover Dimension : 1209 mm L*600 mm W* 55 mm H Fluorescent tube : T5 28W × 2 Electronic Ballast : 110/220V 60HZ</p>	

品鋒 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
53	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering) Product No : LF-28438EB Material : Steel, white powder coated + PS Cover Dimension : 1209 mm L*600 mm W* 55 mm H Fluorescent tube : T5 28W × 3 Electronic Ballast : 110/220V 60HZ</p>	
54	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering) Product No : LF-28448EB Material : Steel, white powder coated + PS Cover Dimension : 1209 mm L*600 mm W* 55 mm H Fluorescent tube : T5 28W × 4 Electronic Ballast : 110/220V 60HZ</p>	
55	<p>T-BAR Simple Type Recessed Light Product No : LF-14430CEB Material : Steel, white powder coated Dimension : 600 mm L*600 mm W*57 mm H Fluorescent tube : T5 14W × 3 Electronic Ballast : 110/220V 60HZ</p>	
56	<p>T-BAR Simple Type Recessed Light Product No : LF-14440CEB Material : Steel, white powder coated Dimension : 600 mm L*600 mm W*57 mm H Fluorescent tube : T5 14W × 4 Electronic Ballast : 110/220V 60HZ</p>	


PIN FENG INDUSTRY CO., LTD.

NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw



PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
57	<p>T-BAR Economic Type</p> <p>Recessed Light</p> <p>Product No : LF-14432EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 600 mm L* 600 mm W* 55 mm H</p> <p>Fluorescent tube : T5 14W × 3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
58	<p>T-BAR Economic Type</p> <p>Recessed Light</p> <p>Product No : LF-14442EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 600 mm L* 600 mm W* 55 mm H</p> <p>Fluorescent tube : T5 14W × 4</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
59	<p>Self Light</p> <p>Product No : LF-14011EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 800 mm L*30 mm W*37 mm H</p> <p>Fluorescent tube : T5 14W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
60	<p>Self Light</p> <p>Product No : LF-14012EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 579 mm L*30 mm W*37 mm H</p> <p>Fluorescent tube : T5 14W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	


 PIN FENG INDUSTRY CO., LTD.

NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw



PIN FENG LIGHTING FIXTURE - T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
61	<p>Self Light</p> <p>Product No : LF-14022EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 579 mm L*30 mm W*37 mm H</p> <p>Fluorescent tube : T5 14W × 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
62	<p>Self Light</p> <p>Product No : LF-21011EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1100 mm L*30 mm W*37 mm H</p> <p>Fluorescent tube : T5 21W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
63	<p>Self Light</p> <p>Product No : LF-21012EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 879 mm L*30 mm W*37 mm H</p> <p>Fluorescent tube : T5 21W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
64	<p>Self Light</p> <p>Product No : LF-21022EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 879 mm L*30 mm W*37 mm H</p> <p>Fluorescent tube : T5 21W × 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	

PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE – T5 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
65	<p>Self Light</p> <p>Product No : LF-28011EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1400 mm L*30 mm W*37 mm H</p> <p>Fluorescent tube : T5 28W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
66	<p>Self Light</p> <p>Product No : LF-28012EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1179 mm L*30 mm W*37 mm H</p> <p>Fluorescent tube : T5 28W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
67	<p>Self Light</p> <p>Product No : LF-28022EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1179 mm L*30 mm W*37 mm H</p> <p>Fluorescent tube : T5 28W × 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.

NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013