

PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
01	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-20311EB Material : Steel, white powder coated Dimension : 617 mm L*129 mm W*75 mm H Fluorescent tube : T8 20W × 1 Electronic Ballast : 110/220V 60HZ</p>	
02	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-20321EB Material : Steel, white powder coated Dimension : 617 mm L* 129 mm W* 56 mm H Fluorescent tube : T8 20W × 2 Electronic Ballast : 110/220V 60HZ</p>	
03	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-40311EB Material : Steel, white powder coated Dimension : 1235 mm L* 129 mm W *75 mm H Fluorescent tube : T8 40W × 1 Electronic Ballast : 110/220V 60HZ</p>	
04	<p>Triangular Type Ceiling Light</p> <p>Product No. : LF-40321EB Material : Steel, white powder coated Dimension : 1235 mm L*129 mm W* 56 mm H Fluorescent tube : T8 40W × 2 Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
05	<p>Batten Light w/ Reflector <i>(can be surface-mounted or suspended)</i> Product No. : LF-20211EB Material : Steel, white powder coated or Mirror aluminum reflector Dimension : 620 mm L*91 mm W* 62 mm H Fluorescent tube : T8 20W x 1 Electronic Ballast : 110/220V 60HZ</p>	
06	<p>Batten Light w/ Reflector <i>(can be surface-mounted or suspended)</i> Product No. : LF-20221EB Material : Steel, white powder coated or Mirror aluminum reflector Dimension : 623 mm L*166 mm W* 70 mm H Fluorescent tube : T8 20W x 2 Electronic Ballast : 110/220V 60HZ</p>	
07	<p>Batten Light w/ Reflector <i>(can be surface-mounted or suspended)</i> Product No. : LF-40211EB Material : Steel, white powder coated or Mirror aluminum reflector Dimension : 1238 mm L*91 mm W* 62 mm H Fluorescent tube : T8 40W x 1 Electronic Ballast : 110/220V 60HZ</p>	
08	<p>Batten Light w/ Reflector <i>(can be surface-mounted or suspended)</i> Product No. : LF-40221EB Material : Steel, white powder coated or Mirror aluminum reflector Dimension : 1241 mm L*166 mm W* 70 mm H Fluorescent tube : T8 40W x 2 Electronic Ballast : 110/220V 60HZ</p>	

PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
09	<p>Batten Light w/ Reflector <i>(can be surface-mounted or suspended)</i> Product No. : LF-40231EB Material : Steel, white powder coated or Mirror aluminum reflector Dimension : 1241 mm L*193 mm W* 85 mm H Fluorescent tube : T8 40W x 3 Electronic Ballast : 110/220V 60HZ</p>	
10	<p>Batten Light <i>(can be surface-mounted or suspended)</i> Product No. : LF-20111EB Material : Steel, white powder coated Dimension : 605 mm L*35 mm W* 62 mm H Fluorescent tube : T8 20W x 1 Electronic Ballast : 110/220V 60HZ</p>	
11	<p>Batten Light <i>(can be surface-mounted or suspended)</i> Product No. : LF-40111EB Material : Steel, white powder coated Dimension : 1223 mm L*35 mm W* 62 mm H Fluorescent tube : T8 40W x 1 Electronic Ballast : 110/220V 60HZ</p>	
12	<p>Batten Light <i>(can be surface-mounted or suspended)</i> Product No. : LF-40123EB Material : Steel, white powder coated Dimension : 1223 mm L*101 mm W* 75 mm H Fluorescent tube : T8 40W x 2 Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366


Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
13	<p>Classroom Light (can be surface-mounted or suspended) Product No. : LF-40521EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 1218 mm L*240 mm W* 65 mm H Fluorescent tube : T8 40W x 2 Electronic Ballast : 110/220V 60HZ</p>	
14	<p>Classroom Light (can be surface-mounted or suspended) Product No. : LF-40522EB Material : Steel, white powder coated Dimension : 1218 mm L*240 mm W* 65 mm H Fluorescent tube : T8 40W x 2 Electronic Ballast : 110/220V 60HZ</p>	
15	<p>Black Board Light (can be surface-mounted or suspended) Product No. : LF-40611EB Material : Steel, white powder coated or +Mirror aluminum reflector Dimension : 1218 mm L*170 mm W* 114 mm H Fluorescent tube : T8 40W x 1 Electronic Ballast : 110/220V 60HZ</p>	
16	<p>Black Board Light (can be surface-mounted or suspended) Product No. : LF-40621EB Material : Steel, white powder coated or +Mirror aluminum reflector Dimension : 1218 mm L*170 mm W* 114 mm H Fluorescent tube : T8 40W x 2 Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
17	<p>T-Bar Standard Type Recessed Light Product No. : LF-20421EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 600 mm L*300 mm W* 62 mm H Fluorescent tube : T8 20W x 2 Electronic Ballast : 110/220V 60HZ</p>	
18	<p>T-Bar Standard Type Recessed Light Product No. : LF-20423EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 600 mm L* 600 mm W* 62 mm H Fluorescent tube : T8 20W x 2 Electronic Ballast : 110/220V 60HZ</p>	
19	<p>T-Bar Standard Type Recessed Light Product No. : LF-20431EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 600 mm L* 600 mm W* 62 mm H Fluorescent tube : T8 20W x 3 Electronic Ballast : 110/220V 60HZ</p>	
20	<p>T-Bar Standard Type Recessed Light Product No. : LF-20441EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 600 mm L* 600 mm W* 62 mm H Fluorescent tube : T8 20W x 4 Electronic Ballast : 110/220V 60HZ</p>	

PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
21	<p>T-Bar Standard Type Recessed Light Product No. : LF-40421EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 1218 mm L*300 mm W* 62 mm H Fluorescent tube : T8 40W x 2 Electronic Ballast : 110/220V 60HZ</p>	
22	<p>T-Bar Standard Type Recessed Light Product No. : LF-40423EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 1218 mm L*600 mm W* 62 mm H Fluorescent tube : T8 40W x 2 Electronic Ballast : 110/220V 60HZ</p>	
23	<p>T-Bar Standard Type Recessed Light Product No. : LF-40431EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 1218 mm L*600 mm W* 62 mm H Fluorescent tube : T8 40W x 3 Electronic Ballast : 110/220V 60HZ</p>	
24	<p>T-Bar Standard Type Recessed Light Product No. : LF-40441EB Material : Steel, white powder coated + Mirror aluminum grille Dimension : 1218 mm L*600 mm W* 62 mm H Fluorescent tube : T8 40W x 4 Electronic Ballast : 110/220V 60HZ</p>	

PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
25	<p>T-BAR Economic Type</p> <p>Recessed Light</p> <p>Product No. : LF-20432EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 600 mm L* 600 mm W* 55 mm H</p> <p>Fluorescent tube : T8 20W × 3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
26	<p>T-BAR Economic Type</p> <p>Recessed Light</p> <p>Product No. : LF-20442EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 600 mm L* 600 mm W* 55 mm H</p> <p>Fluorescent tube : T8 20W × 4</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
27	<p>CCFL T-BAR Economic Type</p> <p>Recessed Light</p> <p>Product No. : LF-20442-CCFL</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 600 mm L* 600 mm W* 55 mm H</p> <p>Fluorescent tube : CCFL T8 14W × 4</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
28	<p>Standard Ceiling Grille Light</p> <p>Product No. : LF-20721EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 617 mm L*315 mm W* 55 mm H</p> <p>Fluorescent tube : T8 20W × 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	

PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
29	<p>Standard Ceiling Grille Light</p> <p>Product No. : LF-20731EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 617 mm L*615 mm W* 55 mm H</p> <p>Fluorescent tube : T8 20W x 3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
30	<p>Standard Ceiling Grille Light</p> <p>Product No. : LF-20741EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 617 mm L*615 mm W* 55 mm H</p> <p>Fluorescent tube : T8 20W x 4</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
31	<p>Standard Ceiling Grille Light</p> <p>Product No. : LF-40721EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 1227 mm L*315 mm W* 55 mm H</p> <p>Fluorescent tube : T8 40W x 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
32	<p>Standard Ceiling Grille Light</p> <p>Product No. : LF-40731EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 1227 mm L*615 mm W* 55 mm H</p> <p>Fluorescent tube : T8 40W x3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366





Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
33	<p>Standard Ceiling Grille Light</p> <p>Product No. : LF-40741EB</p> <p>Material : Steel, white powder coated + Mirror aluminum grille</p> <p>Dimension : 1227 mm L*615 mm W* 55 mm H</p> <p>Fluorescent tube : T8 40W x4</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
34	<p>Extruded Aluminum Frame Ceiling Light</p> <p>Product No. : LF-20722EB</p> <p>Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille</p> <p>Dimension : 642 mm L*339 mm W* 55 mm H</p> <p>Fluorescent tube : T8 20W x 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
35	<p>Extruded Aluminum Frame Ceiling Light</p> <p>Product No. : LF-20732EB</p> <p>Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille</p> <p>Dimension : 642 mm L*639 mm W* 55 mm H</p> <p>Fluorescent tube : T8 20W x 3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
36	<p>Extruded Aluminum Frame Ceiling Light</p> <p>Product No. : LF-20742EB</p> <p>Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille</p> <p>Dimension : 642 mm L*639 mm W* 55 mm H</p> <p>Fluorescent tube : T8 20W x 4</p> <p>Electronic Ballast : 110/220V 60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
37	<p>Extruded Aluminum Frame Ceiling Light</p> <p>Product No. : LF-40722EB</p> <p>Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille</p> <p>Dimension : 1252 mm L*339 mm W* 55 mm H</p> <p>Fluorescent tube : T8 40W x 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
38	<p>Extruded Aluminum Frame Ceiling Light</p> <p>Product No. : LF-40732EB</p> <p>Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille</p> <p>Dimension : 1252 mm L*639 mm W* 55 mm H</p> <p>Fluorescent tube : T8 40W x3</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
39	<p>Extruded Aluminum Frame Ceiling Light</p> <p>Product No. : LF-40742EB</p> <p>Material : White Paint Steel + Aluminum Extruded Frame + Mirror Aluminum Grille</p> <p>Dimension : 1252 mm L*639 mm W* 55 mm H</p> <p>Fluorescent tube : T8 40W x4</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
40	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering)</p> <p>Product No. : LF-20428EB</p> <p>Material : Steel, white powder coated + PS Cover</p> <p>Dimension : 600 mm L*300 mm W* 55 mm H</p> <p>Fluorescent tube : T8 20W x 2</p> <p>Electronic Ballast : 110/220V 60HZ</p>	

PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
41	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering) Product No. : LF-20438EB Material : Steel, white powder coated + PS Cover Dimension : 600 mm L* 600 mm W* 55 mm H Fluorescent tube : T8 20W x 3 Electronic Ballast : 110/220V 60HZ</p>	
42	<p>PS Cover T-BAR Recessed Light (w/ Polystyrene sheet covering) Product No. : LF-20448EB Material : Steel, white powder coated + PS Cover Dimension : 600 mm L* 600 mm W* 55 mm H Fluorescent tube : T8 20W x 4 Electronic Ballast : 110/220V 60HZ</p>	
43	<p>LED Panel Light (Recessed Type) (w/ Polystyrene sheet covering) Product No. : LF- 20441LED840865 Material : Steel, white powder coated + PS Cover Dimension : 600 mm L* 600 mm W* 25 mm H Fluorescent tube : LED Light Strip</p>	
44	<p>Shelf Light Product No. : LF-20012EB Material : Steel, white powder coated Dimension : 613 mm L*32 mm W*43 mm H Fluorescent tube : T8 20W x 1 Electronic Ballast : 110/220V 60HZ</p>	

PIN FENG INDUSTRY CO., LTD.


NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366




Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013



PIN FENG LIGHTING FIXTURE - T8 LIGHT TUBE

Item	SPECIFICATION	PRODUCT
45	<p>Shelf Light</p> <p>Product No. : LF-30012EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 928 mm L*32 mm W*43 mm H</p> <p>適用燈管 : T8 40W × 1</p> <p>安定器 : 110/220V 60HZ</p>	
46	<p>Shelf Light</p> <p>Product No. : LF-40012EB</p> <p>Material : Steel, white powder coated</p> <p>Dimension : 1231 mm L*32 mm W*43 mm H</p> <p>Fluorescent tube : T8 40W × 1</p> <p>Electronic Ballast : 110/220V 60HZ</p>	
47	<p>15W LED Downlights</p> <p>Material : Plastic Powder</p> <p>Dimension : 150mm Diameter * 60mmHeight</p> <p>Power Dissipation : 15W (6500K/ 3500K)</p> <p>Input Voltage : 115V 50~60HZ</p>	

 PIN FENG INDUSTRY CO., LTD.

NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN R.O.C

TEL: +886-5-285-8112 FAX: +886-5-286-3366

Website: www.pinfeng.com.tw

E-Mail: pinfeng@ms26.hinet.net ; pinfeng@pinfeng.com.tw

NOV. 27, 2013